MODEL: WMSL-9713

STEEL RAPID RAILS

- **Always Wear a Safety Harness with this Product**
- **Practice Using at Ground Level**
- **Weight Limit: 300 lbs.**
- **Tree Size: 9”-18” diameter**

Instruction and Safety Manual

⚠ Warning

Every year serious injury and even death occurs from hunting related falls. To ensure your safety, please **COMPLETELY** read and follow this safety manual and ALL warning labels **BEFORE** assembling, installing or utilizing this product.

DO NOT USE THIS PRODUCT BEFORE FULLY UNDERSTANDING ALL SAFETY WARNINGS AND INSTRUCTIONS. IF YOU HAVE QUESTIONS, ARE UNSURE ABOUT ANY INFORMATION OR NEED ADDITIONAL INFORMATION CONCERNING YOUR PRODUCT, CONTACT OUR CUSTOMER SERVICE DEPARTMENT AT 1-866-972-6168 OR VISIT **WWW.TREESTANDCUSTOMERSERVICE.COM**. KEEP AND MAINTAIN THIS SAFETY AND INSTRUCTION MANUAL IN A SAFE LOCATION FOR FUTURE REFERENCE.

Distributed by Tahsin Industrial Corp. USA 685 Route 10 East, Randolph, NJ 07869

©2013 (rev. 12/12)

2013

SAFETY MUST BE YOUR FIRST PRIORITY WITH THIS PRODUCT

CHOOSING A SAFE TREE

• **ALWAYS** thoroughly inspect the tree before installing your product. **DO NOT** install your **TREE/LADDER STAND** onto any dead or unsafe tree, telephone or utility pole, structural column, or man-made structure. Doing so may result in serious injury or death.

• **ALWAYS** select the proper tree for use with your **TREE/LADDER STAND**. Select a live straight tree that fits within size limits recommended (minimum tree diameter must be no less than 9 inches and maximum of 18 inches.). **DO NOT** rely on a branch for support.

• **DO NOT** select a tree in the dark or choose a tree in close proximity to a fence. You must not have any stumps or rocks beneath your tree.

• **NEVER** use **TREE/LADDER STAND** on a tree that is dead, diseased , leaning or on wet and uneven ground as the tree may fall, break or uproot.

• Your tree must not be wet, icy or slippery or on wet, swampy, or loose ground that allows the tree to be unstable. Check the ground under **TREE/LADDER STAND** to ensure it is firm and level.

• Be sure you have a level stand platform. Your tree must not lean or have any irregular shape.

• Tree must not have any loose or scaly bark or excessive vines, nails, screws, or any other sharp objects protruding that may sever webbing on product. Any surrounding trees must not lean or have dead limbs that may fall onto you or your product.

• **NEVER HURRY!! HURRYING CAUSES ACCIDENTS!!** While climbing a **TREE/LADDER STAND**, make slow, even movements no more that ten to twelve inches at a time. Make sure you have proper contact with tree and/or **TREE/LADDER STAND** every time you move. On ladder tree stand, **ALWAYS** maintain three points of contact with each step and **ALWAYS** lean forward as you climb.

Several treestands are equipped with a footrest, armrests and/or shooting rail. Neither the footrest, armrests nor the shooting rail have been designed to support a user's weight. Under **NO** circumstances should you place more than fifteen (15) pounds of weight on these structures. Doing so will put the user in serious risk of injury or death.

PROPER CARE AND MAINTENANCE:

• Inspect for defects (damage, rot, corrosion, cracks, freezing, excessive heat, etc.) before every use is required. Do not use if damage is detected or suspected.

• We recommend replacing all hardware/cables/nuts/bolts/clips on your tree stand every two (2) years or sooner if inspection finds it necessary. Use only Primal Vantage approved replacement straps and parts. Use of any other straps or parts, will be viewed as a modification to the product. Any modification will void the warranties and relieve Primal Vantage from all liabilities. Failure to follow these instructions may result in serious injury or death.

• **DO NOT** overtighten the hardware. **DO NOT** use a socket wrench. This can lead to structural damage and may negatively affect the performance of your stand. Failure to follow these instructions may result in serious injury or death.

• All photos are taken from the front view unless otherwise noted.

• By registering your product, you may be enrolled in our discount program.
You may receive a 20% off coupon for our website store, **www.primal-store.com** to purchase replacement parts in the future.

• In most cases, bolts come with two nylon washers. One washer will be placed against the bolt head the other washer will be placed against the nut.

2013 ©2013 (rev. 06/12)

MODEL: WMSL-9713

STEEL RAPID RAILS

- **Always Wear a Safety Harness with this Product**
- **Practice Using at Ground Level**
- **Weight Limit: 300 lbs.**
- **Tree Size: 9”-18” diameter**

Includes Three Sections
(3) Straps (Come Pre-Installed on each Section)

3 - Sections Stacked



Fig.1

1. Wrap Strap around the tree. Make sure strap is flat against the tree. Attach hook end of strap to keeper hook on opposite side of ladder. **(See Fig.1)**

2. Thread strap through buckle. **(See Buckle Strap Instructions for weaving.)**

3.Tighten strap to hold Rapid Rails securely against tree. **(See Fig. 2)**

4. While wearing your Fall Arrest System with Climbing Belt, Climb bottom section to attach second section.



Fig.2

Repeat Steps 1 through 3 to attach all ladder sections.



Fig.3

IMPORTANT: Be sure to set stand where you are able to step **DOWN** onto stand from Rapid Rails. **(See Fig. 3)**

DO NOT set stand above the top Rapid Rail Section. It will create a dangerous situation when climbing in or out of stand. **(See Fig. 4)**

IMPORTANT:
Check every Ladder Section **BEFORE** you leave the ground.



Fig.4

DETAILED BUCKLE AND STRAP INSTRUCTIONS

1 Hold buckle as shown



2 Press down on latch and insert strap underneath teeth as shown.

3 Pull strap to desired length.



4

Pull slack to tighten.

Distributed by Tahsin Industrial Corp. USA 685 Route 10 East, Randolph, NJ 07869

©2013 (rev. 12/12)

Hunting For Low Prices?

These Items Now Available at Walmart and Walmart.com

20' STICK LADDER

HANG-ON TREESTAND

BONE COLLECTOR HANG-ON TREESTAND

CLIMBER



16' RECON LADDERSTAND

15' TWO-MAN LADDERSTAND

Check Out Walmart.com For Even More Tree Stands and Accessories

STEEL RAPID RAILS

BONE COLLECTOR AVENGER ALUMINUM HANG-ON TREESTAND

15' TRIPOD

TRIPOD ROOF KIT